



**City Of Hammond
Purchasing Department**

RFP # 18-06

For

2018 Harley Davidson FLHP Road King Police Motorcycles

Proposals Shall Be Received by the Purchasing Department,

City of Hammond

310 East Charles Street

P. O. Box 2788

Hammond, Louisiana 70404-2788

Until

10:00 a. m. on July 25, 2017

At Which Time All Proposals Will Read Aloud

Advertisement in the Official Journal, Daily Star, to be published Three (3) Times

June 30, July 5 & 12, 2017

For Additional Information or Questions

Contact

Jana Thurman - Purchasing Manager- City of Hammond

Thurman_je@hammond.org , Phone (985) 277-5633 or Fax (985) 277-5636

This is the Proposal of:

Date: _____

Company: _____

Section 3 Business/WBE/SBE/MBE/DBE: _____

Address: _____

City: _____ **State:** _____ **ZIP Code:** _____

Person to Contact: _____

Phone: _____ **Fax:** _____

Email: _____

Proposal Amount: \$ _____

Your Proposal is important to us.

However, should you choose NOT to submit a Proposal for this project, the City would still ask you to complete this sheet and indicate "No Proposal" for your Proposal Amount. This shall NOT affect your participation in future RFPs, but only serve as a means of verifying you received notification of this RFP.

Section 3 Business/WBE/SBE/MBE/DBE

The City encourages Proposals from Section 3 businesses, Woman Business Enterprises, Minority Business Enterprises, Small Business Enterprises, and other potentially Disadvantaged Business Enterprises. If your company is one of these types of businesses, please indicate "Section 3," "WBE," "SBE," "MBE," or "DBE" in the space provided above.

Nondiscrimination Requirements

By submitting and signing this Proposal, the Proposer agrees to comply with Title VI and VII of the Civil Rights Act of 1964 as amended; the Vietnam Era Veterans Readjustment Assistance Act of 1974; Section 503 of the Rehabilitation Act of 1973; Section 202 of Executive Order 11246 as amended; and the Americans with Disabilities Act of 1990.

The Proposer also agrees to keep informed of and comply with all federal, State, and local laws, ordinances, and regulations which affect the Proposer's employees or prospective employees.

The City of Hammond Police Department Motorcycle Specifications

Scope of Specifications

These specifications describe the mechanical and comfort requirements for the FLHP solo law enforcement motorcycles which will be used by the City of Hammond Police Department.

QUANTITY: 2

2018 Harley-Davidson® FLHP Road King® Solo Law Enforcement Motorcycles

- HD Stage One Kit
- HD Saddle Bag Guards
- HD Cooling Fan
- HD Mid-Frame Air Deflector
- BAHN ISO Grips
- RCX S/D Chrome Exhaust

Trade-in allowance option:

This RFP solicits proposals for the purchase of new equipment with a trade-in option for existing equipment. The City of Hammond reserves the right to accept or reject trade-in offers as deemed to be in the best interest of The City of Hammond.

Quote options offered for the following 2 motorcycles for trade-in. Motorcycles are offered “as is, where is”.

Type of Equipment	<u>Police Motorcycle</u>
Brand of and year of Equipment	<u>2010 white Harley Davidson</u>
Quantity	<u>2</u>
VIN #	<u>1HD1FHM13AB606644</u>
Mileage	<u>11,949</u>
VIN #	<u>1HD1FHM1XAB606169</u>
Mileage	<u>22,000 +</u>
Model	<u>FLHP Road King Police Motorcycle</u>
Trade-in equipment is located:	<u>City of Hammond Jail</u> <u>303 East Thomas St.</u> <u>Hammond, LA 70401</u>

To Schedule an appointment to inspect the equipment

Contact Person:

Sgt. Doug Banks

banks_sd@hammond.org

SPECIFICATIONS

All proposed **FLHP motorcycles** to be in full compliance as follows:

A. Engine

Piston displacement of not less than 1746cc Milwaukee-Eight 107 cubic inch, pushrod-operated, overhead valves with hydraulic, self-adjusting lifters, four valves per cylinder and featuring EITMS (Engine Idle Temperature Management System), producing minimal vibration frequencies and magnitudes. Engine and transmission isolated from motorcycle frame utilizing a rubber mounting system.

- Powertrain deluxe chrome group designed for low maintenance; black powder coat finish on engine; chrome rocker boxes, timer cover, outer primary housing & transmission covers.
- Compression ratio: 10.0:1
- Electronic Sequential Port Fuel Injection System (ESPFI)
- Single Cam design
- Hydraulic Lifters requiring no maintenance service adjustments
- Air and Oil cooled
- Fan-assisted oil cooler

B. Clutch / Transmission

- Clutch shall be of the latest assist and slip nine (9) plate design, wet.
- Hydraulically Actuated Clutch system
- Transmission to be of latest design, manual type, with not less than six (6) forward speeds.
- Clutch disengage for starter motor operation
- Primary Drive, double-row chain, 34/46 ratio.
- Greaseless shifter shaft with "anti-vibration" rubber spacers.
- Gear Ratios:

1st	9.593
2nd	6.650
3rd	4.938
4th	4.000
5th	3.407
6th	2.875

C. Brakes

- Reflex Linked Braking with ABS, linking disengages below 25 mph
- Hydraulic Disc brakes for both front and rear wheels
- Front brakes having dual 11.81-inch diameter floating discs
- Rear brake having a single disc.
- Brakes shall be relatively free of heat fade
- Calipers-4 Piston
- Uniform Expanding Rear Rotor

D. Suspension

Motorcycles shall be provided with a suspension system to permit optimum handling conditions as required in law enforcement.

- Front suspension uses Showa® Dual Bending Valve (SDBVTM) technology and gives you 117 mm of travel; improved damping performance over the range of suspension travel
- Hand-adjustable emulsion rear shocks provide 15-30% more preload adjustment and adjust with the turn of a single knob, no tools required; improved damping performance over the range of suspension travel
- 49 mm telescopic front forks.
- Rear suspension swing arm bearings shall require no lubrication for life of the motorcycle.

E. Wheels / Tires

- Black Impeller Cast Aluminum wheels, rim material to be impermeable to compressed air.
- Tubeless type tires to have non-skid tread, designed to operate on paved highways and shall have a full, four-ply fabric reinforcement.
- Bead-retention tires designed to remain on wheel during sudden loss of pressure.
- Sealed automotive style wheel bearings requiring no endplay adjustment and service interval of 100,000 miles (160,000 km).

F. Fuel Tank

- Fuel tank to have a capacity of 6 U.S. gallons (22.71 liters). Must provide a minimum of 1 gallon (3.8 L) reserve fuel capacity when main supply is exhausted.
- Electric fuel pump.

G. Electrical System

Electrical system shall be nominal 12-volt as follows:

- Battery. Sealed, heavy-duty maintenance-free, 12-volt, minimum rated capacity-28 ampere hours (Battery Council International rating), 270 cold cranking amps.
- Ignition. Non-waste spark, alpha control.
- Charging System. Three-phase, 48-amp high output alternator producing 28 amps at idle, solid state regulator.
- Connectors. Industrial grade throughout, provided with electrical accessory connection.
- Hand Controls. Water-resistant, integrated switches.
- Starting System. 12-volt starter, solenoid operated engagement, relay required.
- Horn. Sound level audible above motorcycle and traffic-generated noise.

H. Lighting

Each motorcycle shall be provided with the following lighting equipment:

- Dual Halogen Headlight
- Front Emergency Lamps PAR-36, one red and one blue (incandescent).
- Tail light
- Turn Signals, self-canceling system.
- Flashers, four-way, with independent switch.
- License plate lighting with two blue marker lamps.

I. Visual Displays

- Speedometer. Analog & Digital speedometer, range 0-120mph (or kph equivalent).
- (2) Re-settable trip meters.
- Speed Capture with Digital Speed Display
- Gear Indicator
- Odometer. Calibrated, cumulative.
- Tachometer. Analog.
- Fuel level gauge.

- Emergency Light Activation Indicators, separate indicators for front and rear emergency lights.
- Stealth Mode indicator - if activated
- Cruise Control indicator
- Sight glass on brake master cylinders.
- Fuel Mileage countdown till empty displayed in odometer window when Low fuel indicator lamp is lit.
- Turn Signal Indicators
- Hazard-Warning Lights Indicator
- Neutral indicator
- High beam Indicator
- Low Oil pressure Indicator
- Engine diagnostic light
- ABS indicator lamp
- Security Lamp (if equipped with optional security system)

J Feature Requirements

- Seat. Deluxe solo saddle, special police type, breathable material covering, adjustable coil over spring suspension system.
- Cruise Control-OE standard
- Stealth Mode-optional activation
- Push to Talk Switch-requires other police radio equipment not supplied by H-D
- Power ON for emergency equipment for 30 minutes with ignition OFF
- Analog and Digital Speed Display with Speed Capture feature
- Gear Indicator
- Side Stand. Jiffy stand with electronic disengage to prevent drive off with jiffy stand deployed.
- Foot Boards. Pivoting type with non-skid rubber pads.
- Guards. Front engine guard bar and rear saddlebag guard bars. *Horizontal Saddlebag Rails- Optional*
- Saddlebags. Factory installed, law enforcement type Injection Molded GTX saddlebags, approximately 2000 cubic inches of storage space per bag, water-resistant, utilizing one touch operation latches.
- Final belt drive, with a rubber isolated 68 tooth rear drive sprocket.
- Chrome, two into one into two exhaust system
- Windshield. Constructed of clear polycarbonate, designed to break away with minimal force.
- Mirrors. Two (2) long stem true image mirrors.
- Key. One key fits all locks.
- Wheelbase. 64 inches (1625 mm).
- Laden Seat Height. 27.3 inches (695 mm)
- Gross Vehicle Weight Rating. 1360 lbs. (617 kg.)
- Dry Weight. 805 lbs. (365 kg.)
- Running Order. 840 lbs. (381 kg.)
- Service Intervals. 1st 1000 miles and then every 5000 miles thereafter.
- Warranty. 24 months, unlimited mileage.

**Specifications apply for both Domestic and California Configurations.

Instructions to Proposers

PROPOSERS ARE URGED TO PROMPTLY REVIEW THE REQUIREMENTS OF ALL SPECIFICATIONS AND SUBMIT QUESTIONS FOR RESOLUTION AS EARLY AS POSSIBLE DURING THE SUBMITTAL PERIOD. QUESTIONS OR CONCERNS MUST BE SUBMITTED TO THE PURCHASING MANAGER DURING THE PROPOSAL PERIOD AND SHALL BECOME PART OF YOUR PROPOSAL PACKAGE. OTHERWISE, THIS WILL BE CONSTRUED AS ACCEPTANCE BY THE PROPOSERS THAT THE INTENT OF THE SPECIFICATIONS IS CLEAR AND THAT COMPETITIVE PROPOSALS MAY BE OBTAINED AS SPECIFIED HEREIN. PROTESTS WITH REGARD TO THE SPECIFICATION DOCUMENTS SHALL NOT BE CONSIDERED AFTER PROPOSALS ARE OPENED.

RFP Packages are mailed only as a courtesy. The City of Hammond does not assume responsibility for proposers to receive RFP packages. Proposers should rely on advertisements in the local newspaper, City Website, and personally pick up RFP packages with specifications. Full information may be obtained, or questions answered, by contacting the Purchasing Department, Hammond City Hall Complex, 310 East Charles Street.

These specifications are written in a manner to invite open competition. Any manufacturer's names, trade names, brand names, or catalog numbers used in the specifications are for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive unless the RFP states that only the brand name will be considered for reasons of compatibility, etc.

The RFP number, Proposers name, address, and RFP opening date shall be clearly printed or typed on the outside of the Proposal envelope, if mailed. Only one (1) proposal shall be accepted from each proposer. Alternates shall not be accepted unless specifically requested in the RFP specifications. Proposals can be emailed, faxed, delivered or mailed.

The method of delivery of proposals is the responsibility of the proposer. All proposals shall be received by the Purchasing Department, Hammond City Hall Complex, 310 East Charles Street Hammond, Louisiana on or before the specified RFP opening date and time.

Normally, bid bonds will not be required on bids for materials, supplies, annual contracts or small labor contracts. If a bid bond is required, it will be specifically requested on the RFP form and included in the specifications.

Proposals shall be accepted only on the RFP forms furnished by the City of Hammond Purchasing Department. The City of Hammond shall only accept proposals from those proposers in whose name the RFP forms and or specifications were issued. Altered or incomplete proposals forms, or use of substitute forms or documents, shall render the proposal non-responsive and subject to rejection. The entire RFP package, including the specifications and copies of any addenda issued shall be submitted to the Purchasing Department as THE RFP.

All proposals must be typed or written in **BLUE/BLACK INK**. Any erasures, strikeover and/or changes to prices shall be initialed by the proposer. Failure to initial shall be cause for rejection of the proposal as non-responsive.

All proposals shall be signed. Failure to do so shall cause the proposal to be rejected as non-responsive.

Where one (1) or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Agent/Fire Department, after study and review, reserves the right to determine the acceptability of any equivalent offered. The decision, after study and review, shall be final and binding.

If proposing "equivalent" products, specifications, illustrative literature and any deviations shall be submitted with proposal. Representative samples shall be submitted upon request, if appropriate.

Liability:

The Contractor at all times during the term of the contract shall maintain and pay for property damage and public liability insurance with limits of at least (\$1,000,000.00) one million dollars inclusive of bodily injury and property damage for any one occurrence.

Prior to commencing work under this contract the Contractor must file with the City a "certificate of insurance" meeting aforementioned requirements with the City of Hammond named insured by added endorsement. All premiums and expense incurred with this insurance shall be paid for by the Contractor.

The Contractor shall assume the defense of and indemnify and save harmless the City and its Officers and Agents from all claims relating to work.

The Contractor shall be responsible for any and all damages or claims for damages or injuries or accidents done or caused by him or his employees, or resulting from the execution of the work, or any operations, or caused by reason of existence or location or condition of facilities or of any materials, supplies, or machinery used thereon or therein, or neglect or omission on his part, or all of the several acts or things required to be done by them, under and by these conditions, and covenants, and agrees to hold the City harmless and indemnified for all such damages and claims for damages.

The Contractor shall indemnify and save harmless the City from and against all losses and all claims, demands, payments, suits, actions, recoveries, all attorney fees, and judgments of every nature and description made, brought or recovered against the City by reason of any act or omission of the Contractor, his agents or employees, in the execution of his work.

Worker's Compensation:

The Contractor shall, at all times, pay or cause to be paid, any assessment or compensation required to be paid pursuant to the Worker's Compensation Act.

The Contractor shall, at the time of entering into a Contract with the City, provide satisfactory proof that all assessments or compensation payable to the Worker's Compensation Board have been paid and the City may, at any time during the performance or upon the completion of such Contract require a further declaration such Contract require a further declaration that such assessments or compensations have been paid.

As a qualified proposer for the project, I have carefully examined all of the RFP Documents and have examined the conditions and specifications as called for by the RFP 18-06.

I hereby acknowledge that I have received the following Addenda and they are reflected as part of this proposal,

List by date and Addendum number _____

Proposal Amount

Proposer agrees to Furnish (2) Motorcycles in complete accordance with all RFP 18-06 Specifications, FOB Delivery to 303 East Thomas St., Hammond, LA 70401 between operating hours of 8:00am – 3:00pm central standard time for the sum indicated:

(Amounts shall be shown in words and digits. In case of discrepancy, words shall govern.)

Total Price _____ DOLLARS

(\$ _____)

Delivery Date

Number of days for delivery from date of order: _____

Optional Trade – In

The city reserves the right to purchase the equipment with or without the trade-in based on the best interest of the city.

VIN # 1HD1FHM13AB606644 2010 white Harley Davidson FLHP Road King Police Motorcycle

_____ DOLLARS

(\$ _____)

VIN # 1HD1FHM1XAB606169 2010 white Harley Davidson FLHP Road King Police Motorcycle

_____ DOLLARS

(\$ _____)

Signature of Proposer

Company Name

The above signature on this Proposal certifies that proposer has carefully examined the instructions to proposers, terms and specifications applicable to and made a part of this Proposal Package. Proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this Sealed RFP.
